



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANTS:	Alonzo C. Aylsworth and Lawrence C. Spector	§	GROUP ART UNIT:	3761
		§		
		§		
SERIAL NO.:	10/616,042	§		
		§	EXAMINER:	Not Yet Assigned
FILED:	July 9, 2003	§		
		§		
FOR:	Method and System for	§		
	Measuring Airflow of Nares	§	CONFIRMATION NO:	4840

**SUPPLEMENTAL INFORMATION DISCLOSURE STATEMENT**

Mail Stop Amendment  
Commissioner for Patents  
P. O. Box 1450  
Alexandria, VA 22313-1450

Att'y Docket No. 2230-00100  
Date: December 6, 2004

Sir:


In accordance with 37 CFR §1.97, §1.98, Applicants are providing herewith copies of the supplementary items listed on the attached U.S. Patent and Trademark Office Form PTO 1449. A copy of each non-publication listed on Form PTO-1449 is enclosed herewith. This information is supplemental to the Supplemental Information Disclosure Statement and Form PTO 1449 filed in the above-referenced case on October 12, 2004.

The submission of this Supplemental Information Disclosure Statement and Form PTO-1449 is not an admission that the art cited is "prior" with respect to the present invention, nor is it a representation that no better art exists. Applicants hereby reserve the right to swear behind or otherwise disprove any alleged "prior" nature of any art cited should the facts support and the situation warrant such an action. It is submitted that the art cited does not constitute a bar to the patentability of Applicants' invention under 35 U.S.C. § 102 or § 103. While the particular non-patent references cited may not themselves constitute prior art under 35 U.S.C. § 102, the

SLEEPSTRIP™ device has been previously introduced to the U.S. market, and thus the device itself may constitute prior art.

**No Office Action on the merits has been received in the present application and therefore no fee is due.** In the event there is an Office Action dated prior to the mailing date of this Supplemental Information Disclosure Statement, the PTO is authorized to charge Deposit Account 03-2769, Conley Rose, P.C., in the appropriate amount, so that this Supplemental Information Disclosure Statement may be considered under Rule 1.97(c).

Respectfully submitted,

A large, stylized handwritten signature in black ink, appearing to read 'Mark E. Scott', is written over a horizontal line.

Mark E. Scott  
PTO Reg. No. 43,100  
CONLEY ROSE, P.C.  
P.O. Box 3267  
Houston, TX 77253-3267  
(713) 238-8000 (Phone)  
(713) 238-8008 (Fax)  
ATTORNEY FOR APPLICANTS



Approved for use through 0731/2006 OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Substitute for form T449/PTO

*(Use as many sheets as necessary)*

**Complete if Known**

Application Number	10/616,042
Filing Date	July 9, 2003
First Named Inventor	Alonzo C. Aylsworth
Group Art Unit	3761
Examiner Name	Not Yet Assigned
Attorney Docket Number	2230-00100

Sheet	1	of	2
-------	---	----	---

## U.S. PATENT DOCUMENTS

[illegible]

## FOREIGN PATENT DOCUMENTS

[illegible]

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>1</sup>Applicant's unique designation number (optional). <sup>2</sup>See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. **DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.*

140337/2230-00100

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitute for form 1449/PTO  <b>INFORMATION DISCLOSURE  STATEMENT BY APPLICANT</b>  <i>(Use as many sheets as necessary)</i>			<b>Complete if Known</b>		
			Application Number	10/616,042	
			Filing Date	July 9, 2003	
			First Named Inventor	Alonzo C. Aylsworth	
			Group Art Unit	3761	
			Examiner Name	Not Yet Assigned	
Sheet	2	of	2	Attorney Docket Number	2230-00100

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate) title of the item (book, magazine, journal, serial, symposium, catalog, etc), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>2</sup>
		Medline Industries, Inc. Products Brochure, "SleepStrip®, Disposable Sleep Apnea Screener," <a href="http://www.medline.com">http://www.medline.com</a>	
		S.L.P. Ltd. Information Sheet, "SleepStrip® FAQ," SLP Ltd., 18 Hazfira Street, Tel-Aviv 67779, Israel.	
		T. SHOCHAT ET AL., "The SleepStrip™: an apnoea screener for the early detection of sleep apnoea syndrome," European Respiratory Journal 2002, ISSN 0903-1936, Vol. 19, pp. 121-126.	

Examiner Signature		Dated Considered	
--------------------	--	------------------	--

\*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. <sup>1</sup>Applicant's unique designation number (optional). <sup>2</sup>See Kinds Codes of USPTO Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.

This collection of information is required by 37 CFR 1.97 and 1.98. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.